

Improving the Accessibility and Quality of Hearing Health Services for Seniors with a Hearing Loss

Published June 10th, 2026

Mathieu Hotton, PhD Audiologist



Cette photo par Auteur inconnu est soumise à la licence [CC BY-NC-ND](#)

Introduction

Hearing loss affects approximately one in three people aged 65 and older worldwide [1]. In Canada, 38.7% of individuals aged 65-85 have a hearing loss measured by audiometry; this proportion increases with age, reaching 51.4% among those aged 75-79 and 69.8% among those aged 80-84 [2]. Thus, more than 2.75 million Canadian seniors live with hearing loss [2, 3]. Hearing loss can lead to communication difficulties, fatigue, anxiety, social isolation, distress, and depression [4-6]. It is associated with cognitive decline and a higher risk of falls among older adults [7]. It can also affect significant others, who may experience frustration related to communication difficulties and an increased sense of burden associated with their caregiving role [8-10]. The impacts of untreated hearing loss are estimated to cost \$261.8 billion annually in the Americas, including \$88.6 billion in healthcare costs and \$44.1 billion in lost productivity [1].

Hearing healthcare services are nonetheless available and include audiologic rehabilitation, which

aims to reduce activity limitations and participation restrictions by supporting adaptation to hearing loss [11, 12]. These services are based on a person- and family-centered approach and may include hearing aids, communication strategies, auditory training, and counseling. However, relatively few seniors with hearing loss receive hearing healthcare services [1]. The situation appears particularly concerning among seniors living in residential care settings, where it is estimated that 60-80% of residents have hearing loss, often without it even being identified [13-15]. In addition, the adoption and use of hearing aids remain suboptimal. Indeed, between 25% and 32% of these individuals own hearing aids in Canada [2]. Among them, 5% to 40% use them rarely or not at all [16].

Several factors contribute to this situation. Limited access to hearing healthcare services may result from a shortage of specialized resources, a lack of awareness of available services, and the absence of government policies on hearing health [1]. Furthermore, low rates of hearing aid adoption and use are related, among other things, to technology (effectiveness, appearance), individuals' perceptions of their difficulties, their attitudes and those of their relatives toward hearing loss and amplification (e.g., self-stigma), as well as the support provided by significant others. The services also influence intervention approaches and the attitudes of hearing healthcare professionals [17-25]. Available evidence on clinical services suggests that they are often suboptimal [26-33]. As a result, many seniors with hearing loss and their families may not receive adequate support, particularly during the hearing aid fitting process. Additionally, the cost of hearing aids is an important factor limiting access to this technology for many seniors with hearing loss [34].

In the context of rapid population aging and considering that hearing loss is an important and potentially modifiable risk factor for dementia [35], it is essential to improve the accessibility and quality of hearing healthcare services. The work conducted in our laboratory is part of this effort and is structured around four main areas:

1. Audiological needs assessment
2. Peri-fitting intervention
3. Alternative hearing amplification technologies
4. Hearing healthcare services in residential care and home support contexts

Audiological needs assessment

Audiological needs assessment involves identifying a person's rehabilitation needs while considering the impacts of hearing loss on the individual and their significant others, as well as the personal and environmental factors influencing their functioning [36]. This assessment is necessary to determine whether the individual should use hearing aids. Until recently, no specific guidelines existed to guide audiologists in conducting this assessment. Practice guidelines addressing needs assessment are available [37-39], but their recommendations remain general and not very operational. This has resulted in considerable variability in how audiologists assess needs [40].

To address this gap, we developed the Quebec Audiological Assessment Protocol for Younger and Older Adults (QAAP-YOA) [41]. This protocol provides audiologists with clear guidance on the elements to include in a rigorous needs assessment. The data collected to date suggest that the QAAP-YOA is relevant and valid, and that it helps improve the quality of evaluations and

recommendations [42, 43]. However, its use requires time and extends consultation duration. Work is underway to migrate the QAAP-YOA to a web-based platform to improve efficiency, enable remote administration, and facilitate the involvement of significant others.

Peri-fitting intervention

Peri-fitting intervention encompasses all information, education, and counseling activities carried out before, during, and after the acquisition of hearing aids. Its goal is to prepare users and their significant others to adopt and use this technology. It plays a central role in hearing aid adoption, use, and outcomes. Indeed, an adequate intervention—particularly in the preparation phase—can: 1) Promote better alignment between expectations and the reality of hearing aid use, 2) Strengthen intrinsic motivation and self-efficacy, and 3) Support the development of the skills required to use hearing aids effectively [44-51]. These intermediate factors are themselves associated with more regular and effective hearing aid use, greater benefits, and ultimately improved social participation and quality of life [52-54]. Conversely, when preparation is insufficient, individuals may experience disappointment with hearing aids, feel a lack of control or competence, and reduce their use of the devices despite their technological potential [24, 55]. Significant others who are insufficiently involved or informed may also feel unprepared to support the adaptation process, which can exacerbate communication difficulties and relational burden [56, 57]. Thus, the quality of peri-fitting intervention is critical to maximizing outcomes.

However, the available evidence indicates that peri-fitting interventions are often suboptimal. Consultations are frequently focused on technical aspects and primarily led by professionals, with limited user participation [26, 28, 29, 31, 32]. A large amount of information is delivered in a short time, leaving little room to express concerns or engage in shared decision-making. Furthermore, the preparation phase is often reduced to a minimum, despite being essential for informed consent. Several hypotheses have been proposed to explain this situation, including time constraints during appointments, financial and billing considerations (often tied to hearing aid sales), and clinicians' communication skills and training in person- and family-centred care [27, 30, 33].

In a recent project [58], we conducted interviews with new hearing aid users, significant others, and professionals to better understand the challenges encountered during the fitting process. Although satisfaction rates were generally high, the results indicate that several aspects of the peri-fitting intervention are insufficiently addressed, including links between hearing and cognitive health, adaptation to hearing aids, available alternatives, and follow-up services. Significant others expressed a desire to be more involved in their partner's appointments to better support them. Additionally, some users reported feeling pressured by professionals to purchase hearing aids, which negatively affected trust. Finally, many users and their relatives expressed a desire for greater professional involvement in public education on hearing health and hearing aids to reduce stigma and barriers to use, and to alleviate the daily burden experienced by individuals with hearing loss and their families.

In this context, we are working in partnership with users to co-develop a new peri-fitting intervention program. This program aims to support preparation for hearing aid use, facilitate post-fitting adaptation, and promote a person- and family-centred approach that integrates shared decision-making and informed consent.

Alternative hearing amplification technologies

Direct-to-consumer (DTC) hearing devices represent a promising avenue for improving accessibility and acceptability of hearing amplification. These include personal sound amplification products, smart earbuds, over-the-counter (OTC) hearing aids, and certain active hearing protection devices [59, 60]. Their main advantage lies in their accessibility and lower cost, making them attractive for individuals with mild to moderate hearing loss or those hesitant to adopt conventional hearing aids. However, these devices show considerable variability in performance, raising concerns about their effectiveness and safety [59-65]. In this context, our work, conducted in collaboration with researchers at the École de Technologie Supérieure (ÉTS), aims to evaluate the electroacoustic performance of DTC hearing devices, their effects on auditory perception, and their impact on variables such as listening effort [66-69]. We are also developing an online dissemination tool to inform both the public and professionals about these technologies and support informed decision-making [70].

In addition, hearing aid recycling programs represent another potential solution to improve access to amplification, particularly for individuals with low incomes. In recent years, we have collaborated with the Association des Personnes avec une Déficience de l' Audition (APDA), a community organization in the Québec City region that operates a hearing aid recycling program [71], to better understand the benefits and limitations of this approach. Our findings show that such programs can improve communication and social participation among users [72-74]. However, they also face challenges, including rapid device obsolescence and difficulties with repairs. The success of these initiatives largely depends on the involvement of hearing healthcare professionals in device collection, refurbishment, and follow-up. Technical and organizational constraints, however, may limit their participation, highlighting the need for adapted collaboration models. We continue to work with the APDA to support ongoing improvements to its program.

Hearing healthcare services in residential care and home support contexts

Access to hearing healthcare services remains particularly limited for seniors living in residential care settings or receiving home support services. These individuals often have significant needs but face major barriers, including long wait times, mobility constraints, and service costs. Hearing healthcare services are generally not systematically integrated into these environments. As a result, individuals must follow the same care pathways as the general population, often requiring them to leave their homes to access services. This situation represents a significant barrier for those with reduced mobility or cognitive impairment. Moreover, staff working in these settings are often not adequately trained in hearing health, limiting their ability to recognize signs of hearing loss and intervene appropriately [75-78]. As a result, many cases of hearing loss remain unidentified or insufficiently managed.

In this context, we have established a collaboration with the CIUSSS de la Capitale-Nationale, a local public health facility, to support the integration of hearing health into services offered in residential care and home support settings. In collaboration with colleagues from University of Montreal, we have developed training programs in hearing health for care staff, and their implementation and effectiveness have been assessed [79, 80]. These initiatives represent an important step toward better integration of hearing health into services for older adults and pave the way for the development of innovative service delivery models better adapted to their needs.

Conclusion

Hearing loss in older adults represents a major public health issue due to its significant impact on communication, social participation, mental and cognitive health, and the well-being of affected individuals and their families. In the context of rapid population aging in Canada, it is imperative to act now to improve the accessibility, quality, and relevance of hearing healthcare services.

Audiologists play a central role in this transformation. This includes improving assessment practices, strengthening peri-fitting interventions through a person- and family-centred approach, and contributing to the development and integration of more accessible technological solutions. Special attention must be given to the most vulnerable populations, especially seniors living in residential care settings or receiving home support services, for whom access to services remains largely insufficient. The development of innovative service delivery models, combined with training for non-specialized staff, represents a promising avenue for reducing inequities in access. Beyond clinical services, promoting hearing health and raising public awareness are also crucial to encouraging earlier consultation, reducing stigma associated with hearing loss, and improving the uptake of available solutions.

The work carried out in our laboratory is part of this ongoing effort to advance hearing healthcare through the development of tools, knowledge, and interventions that support clinical practice and facilitate system-level improvements. We hope to contribute, alongside the broader audiology community, to building more accessible, equitable, and effective services for Canadian seniors.

References

1. World Health Organization, *World report on hearing*. 2021, Geneva: World Health Organization.
2. Mick, P.T., et al., *The Prevalence of Hearing, Vision, and Dual Sensory Loss in Older Canadians: An Analysis of Data from the Canadian Longitudinal Study on Aging*. *Can J Aging*, 2021. **40**(1): p. 1-22.
3. Statistique Canada, *Tableau 17-10-0005-01. Estimations de la population au 1er juillet, par âge et genre*. 2025.
4. Chisolm, T.H., et al., *A systematic review of health-related quality of life and hearing aids: final report of the American Academy of Audiology Task Force On the Health-Related Quality of Life Benefits of Amplification in Adults*. *Journal of the American Academy of Audiology*, 2007. **18**(2): p. 151-83.
5. Davis, A., et al., *Aging and hearing health: the life-course approach*. *The Gerontologist*, 2016. **56**(Suppl 2): p. S256-S267.
6. Cacciatore, F., et al., *Quality of life determinants and hearing function in an elderly population: Osservatorio Geriatrico Campano Study Group*. *Gerontology*, 1999. **45**(6): p. 323-328.
7. Lin, F.R., et al., *Hearing loss and incident dementia*. *Archives of neurology*, 2011. **68**(2): p. 214-220.
8. Donaldson, N., L. Worrall, and L. Hickson, *Older people with hearing impairment: A literature*

- review of the spouse's perspective.* Australian and New Zealand Journal of Audiology, 2004. **26**(1): p. 30-39.
9. Scarinci, N.A., L.M. Hickson, and L.E. Worrall, *Third-Party Disability in Spouses of Older People With Hearing Impairment.* Perspectives on Aural Rehabilitation & Its Instrumentation, 2011. **18**(1): p. 3-12.
 10. Stephens, D., L. France, and K. Lormore, *Effects of hearing impairment on the patient's family and friends.* Acta Oto-Laryngologica, 1995. **115**(2): p. 165-167.
 11. Montano, J., *Defining audiologic rehabilitation,* in *Adult Audiologic Rehabilitation,* J. Montano and J. Spitzer, Editors. 2014, Plural Publishing: San Diego, CA. p. 23-34.
 12. Hickson, L., A. Laplante-Lvesque, and L. Wong, *Evidence-Based Practice in Audiology: Rehabilitation Options for Adults With Hearing Impairment.* American Journal of Audiology, 2013. **22**(2): p. 329-331.
 13. Guthrie, D.M., et al., *Combined impairments in vision, hearing and cognition are associated with greater levels of functional and communication difficulties than cognitive impairment alone: Analysis of interRAI data for home care and long-term care recipients in Ontario.* PLoS One, 2018. **13**(2): p. e0192971.
 14. Jee, J., et al., *Vision and hearing impairment in aged care clients.* Ophthalmic Epidemiol, 2005. **12**(3): p. 199-205.
 15. Cohen-Mansfield, J. and J.W. Taylor, *Hearing aid use in nursing homes. Part 1: Prevalence rates of hearing impairment and hearing aid use.* J Am Med Dir Assoc, 2004. **5**(5): p. 283-8.
 16. Barker, F., et al., *Interventions to improve hearing aid use in adult auditory rehabilitation.* Cochrane Database of Systematic Reviews, 2014(7): p. Cd010342.
 17. Ng, J.H. and A.Y. Loke, *Determinants of hearing-aid adoption and use among the elderly: a systematic review.* International Journal of Audiology, 2015. **54**(5): p. 291-300.
 18. Gallagher, N.E. and J.V. Woodside, *Factors Affecting Hearing Aid Adoption and Use: A Qualitative Study.* Journal of the American Academy of Audiology, 2018. **29**: p. 300 - 312.
 19. Jorbornyan, A., et al., *Factors Affecting the Adoption and Use of Hearing Aids among Older Adults: A Systematic Review.* Current Psychiatry Research and Reviews, 2021.
 20. Knoetze, M., et al., *Factors Influencing Hearing Help-Seeking and Hearing Aid Uptake in Adults: A Systematic Review of the Past Decade.* Trends in Hearing, 2023. **27**: p. 23312165231157255.
 21. Mothemela, B., et al., *Factors influencing hearing aid use, benefit and satisfaction in adults: a systematic review of the past decade.* International Journal of Audiology, 2023. **63**: p. 661 - 674.
 22. Oosthuizen, I., et al., *Hearing aid Experiences of Adult Hearing aid Owners During and After Fitting: A Systematic Review of Qualitative Studies.* Trends in Hearing, 2022. **26**: p. 23312165221130584.
 23. Singh, G., et al., *Social Predictors of Hearing Aid Purchase: Do Stigma, Social Network Composition, Social Support, and Loneliness Matter?* Ear and Hearing, 2025. **46**: p. 1149 - 1163.
 24. McCormack, A. and H. Fortnum, *Why do people fitted with hearing aids not wear them?*

International Journal of Audiology, 2013. **52**(5): p. 360-8.

25. Larouche-Gagnon, G., et al., *Les impacts des services professionnels reçus lors de l'appareillage auditif sur l'adoption et l'utilisation des prothèses auditives et la satisfaction envers celles-ci ainsi que sur la participation sociale et la qualité de vie des adultes présentant une déficience auditive*. en révision, Fondation internationale de recherche appliquée sur le handicap: Paris, France. p. 96.
26. Ekberg, K., C. Grenness, and L. Hickson, *Addressing Patients' Psychosocial Concerns Regarding Hearing Aids Within Audiology Appointments for Older Adults*. American Journal of Audiology, 2014. **23**(3): p. 337-350.
27. Ekberg, K., et al., *Identifying barriers and facilitators to implementing family-centred care in adult audiology practices: a COM-B interview study exploring staff perspectives*. Int J Audiol, 2020. **59**(6): p. 464-474.
28. Grenness, C., et al., *Communication patterns in audiological rehabilitation history-taking: audiologists, patients, and their companions*. Ear & Hearing (01960202), 2015. **36**(2): p. 191-204.
29. Grenness, C., et al., *The Nature of Communication throughout Diagnosis and Management Planning in Initial Audiologic Rehabilitation Consultations*. Journal of the American Academy of Audiology, 2015. **26**(1): p. 36-50.
30. Mahomed-Asmail, F., et al., *Exploring facilitators and barriers for delivering person-centered care in a socio-economically diverse context: Perspectives of speech-language pathologists and audiologists*. Patient Educ Couns, 2024. **124**: p. 108250.
31. Manchaiah, V., et al., *Communication between Audiologist, Patient, and Patient's Family Members during Initial Audiology Consultation and Rehabilitation Planning Sessions: A Descriptive Review*. J Am Acad Audiol, 2019. **30**(9): p. 810-819.
32. Meyer, C., et al., *Audiologist-patient communication profiles in hearing rehabilitation appointments*. Patient Education & Counseling, 2017. **100**(8): p. 1490-1498.
33. Tai, S., C. Barr, and R. Woodward-Kron, *Competing agendas and other tensions in developing patient-centred communication in audiology education: a qualitative study of educator perspectives*. Int J Audiol, 2018. **57**(4): p. 274-282.
34. Powers, T. and C. Rogin, *MarkeTrak 10: Hearing aids in an era of disruption and DTC/OTC devices*. Hearing Review, 2019. **26**(8): p. 12-20.
35. Livingston, G., et al., *Dementia prevention, intervention, and care: 2020 report of the Lancet Commission*. Lancet, 2020. **396**(10248): p. 413-446.
36. Gatehouse, S., *Rehabilitation: identification of needs, priorities and expectations, and the evaluation of benefit*. International Journal of Audiology, 2003. **42**: p. 2S77-2S83.
37. Valente, M., et al., *Guidelines for the audiological management of adult hearing impairment*. Audiology Today, 2006. **18**(5): p. 1-44.
38. Ferguson, M., L. Handscomb, and H. Pryce, *Common Principles of Rehabilitation for Adults in Audiology Services*. 2016, Bathgate, UK: British Society of Audiology. 38.

39. Atcherson, S.R., C.A. Franklin, and L. Smith-Olinde, *Needs Assessment*, in *Hearing Assistive and Access Technology*. 2015, Plural Publishing: San Diego, USA. p. 71-91.
40. Hotton, M., J.P. Gagné, and F. Doucet, *Description de l'évaluation globale des besoins telle qu'effectuée par des audiologistes œuvrant dans les services de première ligne au Québec*, in *Journée conférence de l'Association québécoise des orthophonistes et audiologistes*. 2018: Montréal, QC, Canada.
41. Hotton, M. and J.P. Gagné, *Development of a protocol and a clinical tool to assess the audiological needs of younger and older adults with hearing loss*. *International Journal of Audiology*, 2021: p. 1-10.
42. Hotton, M., L. Chauvette, and J.P. Gagné, *Pilot evaluation of a protocol and a clinical tool developed to assess the audiological needs of adults with hearing loss*. *International Journal of Audiology*, 2023: p. 1-9.
43. Hotton, M., et al., *Investigating the implementation of a new protocol and clinical tool designed to assess the audiological needs of individuals with hearing loss in clinical settings*. *Frontiers in Audiology and Otology*, 2025. **2:1520014**.
44. Ridgway, J., C. Lind, and L. Hickson, *What Motivates People to Seek Help for Their Hearing? Applying Self-Determination Theory to Hearing Healthcare*, in *Self-Determination Theory and Healthy Aging: Comparative Contexts on Physical and Mental Well-Being*, B. Ng and G. Ho, Editors. 2020, Springer Singapore: Singapore. p. 147-169.
45. Ferguson, M.A., A. Woolley, and K.J. Munro, *The impact of self-efficacy, expectations, and readiness on hearing aid outcomes*. *International Journal of Audiology*, 2016. **55(sup3)**: p. S34-S41.
46. Snyder, N., et al., *Hearing Aid Adoption Rates: Perceptions, Attitudes, and Influencing Factors of Prospective Hearing Aid Users*. *J Am Acad Audiol*, 2025. **36(3)**: p. 188-195.
47. Jilla, A.M. and L. Jorgensen, *Hearing Aid Adoption in the OTC Hearing Aid Era: Market Trends and Consumer Insights from MarkeTrak 2025*. *Semin Hear*, 2025. **46(3)**: p. 184-195.
48. Bandura, A., *Self-efficacy: The exercise of control*. *Self-efficacy: The exercise of control*. 1997, New York, NY, US: W H Freeman/Times Books/ Henry Holt & Co. ix, 604-ix, 604.
49. Barker, F., L. Atkins, and S. de Lusignan, *Applying the COM-B behaviour model and behaviour change wheel to develop an intervention to improve hearing-aid use in adult auditory rehabilitation*. *Int J Audiol*, 2016. **55 Suppl 3**: p. S90-8.
50. Deci, E.L. and R.M. Ryan, *The "What" and "Why" of Goal Pursuits: Human Needs and the Self-Determination of Behavior*. *Psychological Inquiry*, 2000. **11(4)**: p. 227-268.
51. Davis, F.D., *Perceived usefulness, perceived ease of use, and user acceptance of information technology*. *MIS Quarterly*, 1989. **13(3)**: p. 319-340.
52. Laplante-Lévesque, A., L. Hickson, and L. Worrall, *What makes adults with hearing impairment take up hearing AIDS or communication programs and achieve successful outcomes?* *Ear Hear*, 2012. **33(1)**: p. 79-93.
53. Mick, P., I. Kawachi, and F.R. Lin, *The association between hearing loss and social isolation in older adults*. *Otolaryngol Head Neck Surg*, 2014. **150(3)**: p. 378-84.

54. Beadle, J., et al., *Effectiveness of interventions for social isolation, loneliness, and social participation in older adults with hearing loss: results from a systematic review*. Systematic Reviews, 2026.
55. Marcos-Alonso, S., et al., *Factors Impacting the Use or Rejection of Hearing Aids—A Systematic Review and Meta-Analysis*. Journal of Clinical Medicine, 2023. **12**(12): p. 4030.
56. Ellis, B.K., G. Singh, and S. Launer, *Hearing Aid Adoption is Associated with the Type of Significant Other in Attendance at Hearing Care Appointments*. Trends Hear, 2022. **26**: p. 23312165221131703.
57. Preminger, J.E. and S. Meeks, *The influence of mood on the perception of hearing-loss related quality of life in people with hearing loss and their significant others*. Int J Audiol, 2010. **49**(4): p. 263-71.
58. Simoneau, K., et al., *The experience of a first hearing aid fitting: Perspectives from adults with hearing loss, their relatives, and hearing care professionals*. Journal of Speech, Language & Hearing Research, 2025.
59. Maidment, D.W., et al., *A systematic review and meta-analysis assessing the effectiveness of alternative listening devices to conventional hearing aids in adults with hearing loss*. International Journal of Audiology, 2018. **57**(10): p. 721-729.
60. Pinsonnault-Skvarenina, A., et al., *Electroacoustic performance of alternative listening devices: candidates for individuals with mild to moderate hearing loss?* Canadian Acoustics, 2023. **51**(3): p. 222-223.
61. Almufarrij, I., et al., *Direct-to-Consumer Hearing Devices: Capabilities, Costs, and Cosmetics*. Trends Hear, 2019. **23**: p. 2331216519858301.
62. Kim, G.Y., et al., *Feasibility of Personal Sound Amplification Products in Patients With Moderate Hearing Loss: A Pilot Study*. Clin Exp Otorhinolaryngol, 2022. **15**(1): p. 60-68.
63. Denk, F., et al., *Acoustic Transparency in Hearables—Technical Evaluation*. Journal of the Audio Engineering Society, 2020. **68**(7/8): p. 508-521.
64. Pinsonnault-Skvarenina, A., et al., *Assessment of transparent alternative listening devices' effects on localization cues using head-related transfer function measurements*. Proceedings of INTER-NOISE 2024, 2024.
65. Schepker, H., et al., *Acoustic transparency in hearables—perceptual sound quality evaluations*. Journal of the Audio Engineering Society, 2020. **68**(7/8): p. 495-507.
66. Pinsonnault-Skvarenina, A., et al., *Electroacoustic performance of alternative listening devices: candidates for individuals with mild to moderate hearing loss?* Canadian Acoustics, 2023. **51**(3): p. 222-223.
67. Pinsonnault-Skvarenina, A., et al., *Evaluating the Performances of Direct-to-Consumer Hearing Devices: A Comparative Study of Electroacoustic, Acoustic Transparency, and Passive Attenuation Characteristics*. Journal of the Acoustical Society of America, soumis.
68. Hotton, M., et al., *Effect of smart earphones transparency mode on sound localization in normal-hearing people*, in World Congress of Audiology. 2024: Paris, France.

69. Sadi, S., et al., *Effect of smart earphones transparency mode on speech recognition in noise in normal-hearing people*, in *World Congress of Audiology*. 2024: Paris, France.
70. Pinsonnault-Skvarenina, A., et al. *Enquête sur les dispositifs d'écoute alternatifs nord-américains: caractéristiques et performances électroacoustiques*. 2023; Available from: <https://critias.ca/otc>
71. Association des personnes avec une déficience de l'audition. *Appareils auditifs gratuits aux aînés à faible revenu*. 2021 [cited 2021 February 1]; Available from: <https://www.apda.ca/d-une-oreille-à-l-autre>.
72. Hotton, M., et al., *Impacts and Identification of Hearing Aid Refurbishing Programs for People with Hearing Loss: A Scoping Review*. *Audiol Res*, 2023. **13**(3): p. 326-340.
73. Sadi, S., C. Turgeon, and M. Hotton, *Recycling Hearing Aids to Improve Access: A Qualitative Study with Hearing Health Professionals in Quebec.*, in *CAA Annual Conference*. 2025: Blue Mountain Village, Canada.
74. Hotton, M., et al., *Impacts of a community-based hearing aid recycling program.*, in *49th Annual Scientific and Technology Conference of the American Auditory Society*. 2022: Scottsdale, Arizona, U.S.A.
75. Solheim, J., O. Shiryayeva, and K.J. Kvaerner, *Lack of ear care knowledge in nursing homes*. *J Multidiscip Healthc*, 2016. **9**: p. 481-488.
76. Smith, A.K., C.S. Ritchie, and M.L. Wallhagen, *Hearing Loss in Hospice and Palliative Care: A National Survey of Providers*. *J Pain Symptom Manage*, 2016. **52**(2): p. 254-8.
77. Adams-Wendling, L., et al., *Nursing management of hearing impairment in nursing facility residents*. *J Gerontol Nurs*, 2008. **34**(11): p. 9-17.
78. Hotton, M. and L. Bertrand, *Knowledge and competence regarding hearing loss among health professionals providing home care to older adults.*, in *CAA Annual Conference*. 2025: Blue Mountain Village, Canada.
79. Hotton, M., et al., *Training nursing home personnel about hearing loss: A pilot study*, in *Population Hearing Healthcare Conference (PopHHC)*. 2024: Scottsdale, AZ, USA.
80. Lacerda, A., et al., *Soutien à la communication et bonnes pratiques pour que les préposés aux bénéficiaires travaillant en CHSLD puissent interagir efficacement avec la clientèle malentendante*, in *Colloque 615 – La communication accessible : une responsabilité partagée. 92e Congrès de l'Acfas*. 2025: Montréal, Canada.